



**THANK  
YOU**

[www.lichtor.com](http://www.lichtor.com)



**BRIGHT IDEAS  
BRILLIANT LIGHTING**

Lighting Solutions for Every Space & Application

[www.lichtor.com](http://www.lichtor.com)

LICHTOR is a trusted Indian manufacturer delivering high-performance LED lighting solutions for residential, commercial and industrial applications. With a strong focus on innovation, reliability and energy efficiency, we design and produce a complete range of lighting products including Flood Lights, Street Lights, Highbay Lights, Panel Lights and Industrial Lighting systems. Our commitment to quality, premium materials and advanced technology ensures long-lasting performance and reduced maintenance. Supported by a skilled team and modern manufacturing facility, we strive to offer world-class products at competitive pricing. Our mission is to illuminate spaces with smart, sustainable and customer-focused lighting solutions.

[www.lichtor.com](http://www.lichtor.com)

# INDEX

LED PANEL LIGHT

LED DOWN LIGHT

LED COB LIGHT

LED SURFACE LIGHT

LED SPOT LIGHT

LED JUNCTION LIGHT

LED STREET LIGHT

LED FLOOD LIGHT

LED HIGHBAY LIGHT

LED STRIP LIGHT

LED STRIP SMPS



*Ssk*  
**PANEL LIGHT**  
(PC)

SHAPE	CCT	WATT	CUT-OUT	OUTER	PKG.
RO	6K	8W	100X100	115X115X35	40
SQ	5K	15W	125X125	140X140X35	30
	4K	15W	150X150	165X165X35	20
	3K	18W	150X150	165X165X35	20
	3IN1	22W	200X200	215X215X35	10

**Features:**

- In-built driver
- Light, Polycarbonate Body
- Anti-flicker LED light
- In-built surge protection
- High power factor

[www.lichtor.com](http://www.lichtor.com)





# Moon SURFACE LIGHT (PC)

BODY COLOUR	CCT	WATT	SHAPE	OUTER	PKG.
WHITE	6K	8W	ROUND	115X115X35	40
BLACK	5K	15W	ROUND	140X140X35	30
	4K	22W	ROUND	165X165X35	20
	3K				
	3IN1				

### Features:

- In-Built Driver
- Superior Surge Protection
- Can be fixed directly on wall/ceiling
- High grade diffuser

[www.lichtor.com](http://www.lichtor.com)





# Ecco DEEP DOWN LIGHT (PC)

BODY COLOUR	CCT	WATT	SHAPE	CUTOUT	OUTER	PKG.
WHITE	6K	8W	ROUND	105X105	115X115X45	40
BLACK	5K	15W	ROUND	135X135	145X145X45	30
	4K	22W	ROUND	155X155	165X165X45	20
	3K					
	3IN1					

### Features:

- In-built driver
- Light, Polycarbonate Body
- Anti-flicker LED light
- In-built surge protection
- High power factor

[www.lichtor.com](http://www.lichtor.com)





*Regular*  
**DEEP DOWN LIGHT**  
(ALLU)

BODY COLOUR	CCT	WATT	SHAPE	CUTOUT	OUTER	PKG.
WHITE	6K	12W	ROUND	110X110	120X120X46	40
BLACK	5K	18W	ROUND	140X140	154X154X49	30
	4K	22W	ROUND	170X170	175X175X49	20
	3K					
	3IN1					

**Features:**

- Recessed LED down light
- Die Cast aluminium body
- High grade, anti-glare diffuser
- High lumen
- High power factor

[www.lichtor.com](http://www.lichtor.com)





# Ultra DEEP DOWN LIGHT (ALLU)

BODY COLOUR	REFLECTOR COLOUR	CCT	WATT	SHAPE	CUT OUT	OUTER	PKG.
WHITE	R.Gold	6K	12W	RO	95x95	100x100x50	40
BLACK	G.Black	5K	18W	RO	125x125	130x130x50	30
	White	4K	22W	RO	145x145	150x150x50	20
	M.Black	3K					
		3IN1					

### Features:

- Extremely slim LED Panel
- High Power Factor
- Surge Protection upto 2.5KV
- Die cast aluminum body
- High grade powder coating

[www.lichtor.com](http://www.lichtor.com)





CCT		WATT	SHAPE	CUT OUT	OUTER	PKG.
6K	RED	4W	RO MINI	50x50	80x80x30	100
4K	BLUE	7W	RO BIG	85x85	110x110x65	50
3K	GREEN					
C+W+N	PINK					
R+B+P	G+B+SKB					

**Features:**

- In-built driver
- Light, Polycarbonate Body
- Anti-flicker LED light
- In-built surge protection
- High power factor

[www.lichtor.com](http://www.lichtor.com)





*Cob*

*Smd*

MOVEBLE  
**JUNCTION LIGHT**  
(PC)

CCT		WATT	SHAPE	CUT OUT	OUTER	PKG.
6K	RED	3W	RO COB	52x52	70x70x40	100
4K	BLUE	3W	RO SMD	50x50	67x67x40	100
3K	GREEN					
C+W+N	PINK					
R+B+P	G+B+SKB					

**Features:**

- Ideal for niche area or to spotlight
- Aluminium extruded body with heat sink
- Best for product highlighting

[www.lichtor.com](http://www.lichtor.com)





*Rembow*  
**JUNCTION LIGHT**  
 (PC)

CCT	WATT	SHAPE	CUT OUT	OUTER	PKG.
CW+PGB	7w+7w	RO	50x50	85x85x46	75
CW+PINK	12w+12w	RO	50x50	115x115x46	50
CW+RED					
CW+BLUE					
CW+GREEN					
CW+WW					
CW+RPGB					

**Features:**

- Light, Polycarbonate Body
- In-built driver
- Frameless LED
- Ultra slim round concealed dual color LED panel light.
- Switch power on/off to change light mode for Pure Color

[www.lichtor.com](http://www.lichtor.com)





*Ovel*  
**BULKHEAD LIGHT**  
 (PC)

CCT	BODY COLOUR	WATT	SHAPE	OUTER	PKG.
CW	WHITE	9W	OVEL	68 x 169	110
WW	BLACK	18W	OVEL	100 x 208	55

Light up your outdoor space reliably with the stylish Nexus Bulkhead light. The classic bulkhead light is waterproof and corrosion-resistant. Easy to mount on the wall, the Nexus Provides a wide, diffused light that makes it popular choice for outside buildings, walkways, and pathways.

[www.lichtor.com](http://www.lichtor.com)






*Batan*  
**SPOT LIGHT**  
(PC)

CCT	BODY COLOUR	WATT	SHAPE	CUT OUT	OUTER	PKG.
CW WW NW RED GREEN BLUE PINK	WHITE	2W	RO	33x33	42x42X17	100

**Features:**

- Ideal for niche area or to spotlight
- Aluminium extruded body with heat sink
- Best for product highlighting



[www.lichtor.com](http://www.lichtor.com)






*Stricker*  
**SURFACE LIGHT**  
 (PC)

CCT		WATT	SHAPE	BODY COLOUR	OUTER	PKG.
CW	RED	3W	RO	WHITE	50x50	100
WW	GREEN					
NW	BLUE					
C+W+N	PINK					
R+B+P	G+B+SKB					

**Features:**

- In-Built Driver
- Superior Surge Protection
- Can be fixed directly on wall/ceiling
- High grade diffuser



[www.lichtor.com](http://www.lichtor.com)






*Matel*  
**SPOT LIGHT**  
(ALLU)

CCT	BODY COLOUR	WATT	SHAPE	CUT OUT	OUTER	PKG.
CW	WHITE	3W	RO	33x33	42x42X17	100
WW	BLACK					
NW	COPPER					

**Features:**

- Ideal for niche area or to spotlight
- Aluminium extruded body with heat sink
- Best for product highlighting



[www.lichtor.com](http://www.lichtor.com)



CCT	BODY COLOUR	REFLECTOR COLOUR	WATT	SHAPE	CUT OUT	OUTER	PKG.
CW	WHITE	ROSE G.	7W	RO	65	70x50	50
WW	BLACK	GOLD	12W	RO	80	85x65	50
NW		BLACK	18W	RO	90	95x75	50
3IN1		SILVER					
		WHITE					

**Features:**

- High bright COB down light
- Matt, diffused lens
- Swivel mechanism to focus light
- Die cast aluminium body
- High lumen output

*Creta*  
**COB LIGHT**  
 (ALLU)



[www.lichtor.com](http://www.lichtor.com)





# Delta COB LIGHT (ALLU)

CCT	BODY COLOUR	WATT	SHAPE	CUT OUT	OUTER	PKG.
CW	WHITE	7W	RO	55	63x61	50
WW	BLACK	12W	RO	75	84x61	50
NW		18W	RO	80	90x87	50
3IN1						

### Features:

- High bright COB down light
- Heat sink for heat management
- Die cast aluminium body
- High grade powder coating
- High lumen output

[www.lichtor.com](http://www.lichtor.com)





*Creta*  
**COB CYLINDER LIGHT**  
 (ALLU)

CCT	BODY COLOUR	REFLECTOR COLOUR	WATT	SHAPE	OUTER	PKG.
CW	WHITE	ROSE G.	7W	RO	62X72	50
WW	BLACK	GOLD	12W	RO	77X90	50
NW		BLACK	18W	RO	88X110	50
3IN1		SILVER				
		WHITE				

**Features:**

- High bright COB down light
- Heat sink for heat management
- Die cast aluminium body
- High grade powder coating
- High lumen output

[www.lichtor.com](http://www.lichtor.com)





*Glass*  
**STREET LIGHT**  
(ALLU)

CCT	WATT	BODY COLOUR	DIMENSIONS	PKG.
CW	24w	GRAY	322X102X45	50
WW	36w	GRAY	340X120X48	40
NW	50w	GRAY	385X140X50	30
	72w	GRAY	385X140X50	30
	100w	GRAY	410X190X60	12

**Features:**

- Clear, high grade lens
- High surge protection
- IP65 rated, water proof
- In-built drivers
- Sleek design
- Pressure die cast aluminium

[www.lichtor.com](http://www.lichtor.com)





*lens*  
**STREET LIGHT**  
(ALLU)


CCT	WATT	BODY COLOUR	DIMENSIONS	PKG.
CW	24w	GRAY	180X110X55	50
WW	36w	GRAY	335X130X57	40
NW	50w	GRAY	385X165X57	30
	72w	GRAY	385X165X57	30
	100w	GRAY	455X190X60	12

**Features:**

- Clear, high grade lens
- High surge protection
- IP65 rated, water proof
- In-built drivers
- Sleek design
- Pressure die cast aluminium

[www.lichtor.com](http://www.lichtor.com)





# STREET LIGHT CLAMP

ITEM	SIZE	WATT	MATERIAL	PKG.
WALL CLAMP	1.5 MM	24W / 36W	MS SHEET METAL	100
SMALL VAKIYA	1 INCH	24W / 36W	MS GOLDEN PIPE	100
MEDIUM VAKIYA	1.25 INCH	36W / 50W	MS GOLDEN PIPE	100
BIG VAKIYA	1.5 INCH	50W / 100W	MS GOLDEN PIPE	100
ADJ STAND	ABC PVC	ALL	PVC (UNBREAKABLE)	100

### Features:

- PVC and Metal Material
- Long Lasting Durability
- Useful: Streetlight, Walkways, Garden Society, Compound, Garage etc.

[www.lichtor.com](http://www.lichtor.com)





# X series FLOOD LIGHT (ALLU)

CCT	WATT	BODY COLOUR	DIMENSIONS	PKG.
CW	50W	GRAY	205x175x49	20
WW	100W	GRAY	256x211x49	10
NW	200W	GRAY	350x285x55	10
RED				
GREEN				
BLUE				
PINK				
2IN1				

#### Features:

- Die cast metal body
- Dust & water proof with IP65 protection
- High performance electronic inbuilt driver
- Wide operating range
- Specially designed in built heat sink
- Reliable, integrated & energy efficient
- High surge protection

[www.lichtor.com](http://www.lichtor.com)





# Back Chock FLOOD LIGHT (ALLU)

CCT	WATT	BODY COLOUR	DIMENSIONS	PKG.
CW	100W	GRAY	240x300x115	10
WW	150W	GRAY	240x350x120	8
NW	200W	GRAY	300x400x140	6
RED	300W	GRAY	340x500x150	4
GREEN	400W	GRAY	340x500x150	4
BLUE				
PINK				
2IN1				
5050				

### Features:

- Die cast metal body
- Dust & water proof with IP65 protection
- High performance electronic inbuilt driver
- Wide operating range
- Specially designed in built heat sink
- Reliable, integrated & energy efficient
- High surge protection

[www.lichtor.com](http://www.lichtor.com)





# High Bay FLOOD LIGHT (ALLU)


CCT	WATT	BODY COLOUR	DIMENSIONS	PKG.
CW	100W	GRAY	255x255x100	12
WW	150W	GRAY	355x355x110	6
NW	200W	GRAY	385x385x115	6
RED				
GREEN				
BLUE				
PINK				
2IN1				
5050				

#### Features:

- Die cast metal body
- Dust & water proof with IP65 protection
- High performance electronic inbuilt driver
- Wide operating range
- Specially designed in built heat sink
- Reliable, integrated & energy efficient
- High surge protection

[www.lichtor.com](http://www.lichtor.com)





*Wired*  
**ROPE LIGHT**

CCT	LED'S	WIDTH	MTR.	PKG.
CW	120(2835)	10MM	50MTR.	5 ROLL
WW	60(5050)	10MM	50MTR.	5 ROLL
NW				
GREEN				
BLUE				
PINK				
AMBER				
ICE BLUE				
RGB				

[www.lichtor.com](http://www.lichtor.com)






*Strip*  
**PROFILE STRIP LIGHT**

CCT	LED'S	WIDTH	IP	WATT PER MTR.	MTR.	PKG.
CW WW NW	240	10MM	Ip20	18W	5MTR.	250 ROLL

[www.lichtor.com](http://www.lichtor.com)





TYPE	SIZE	LENGTH	PKG.
CONCEAL SURFACE CORNER	7 x 9 mm	2 MTR. / PC.	400
	10 x 12 mm	2 MTR. / PC.	400
	16 x 16 mm	2 MTR. / PC.	400
	17 x 6 mm	2 MTR. / PC.	400
	17 x 14 mm	2 MTR. / PC.	400
	25 x 6 mm	2 MTR. / PC.	400
	35 x 12 mm	2 MTR. / PC.	48
	35 x 20 mm	2 MTR. / PC.	48
	35 x 35 mm	2 MTR. / PC.	48
	50 x 35 mm	2 MTR. / PC.	24

[www.lichtor.com](http://www.lichtor.com)





*SmPs*  
**STRIP DRIVER**

WATT	AMP.	OUTPUT VOLT	INPUT VOLT.	PKG.
24 WATT	2 AMP.	12 V.	180-265 V	200
60 WATT	5 AMP.	12 V.	180-265 V	100
120 WATT	10 AMP.	12 V.	180-265 V	100
180 WATT	15 AMP.	12 V.	180-265 V	65
240 WATT	20 AMP.	12 V.	180-265 V	50
360 WATT	30 AMP.	12 V.	180-265 V	50

[www.lichtor.com](http://www.lichtor.com)



**THANK  
YOU**